

Freeform Search

Database:	US Pre JPO A EPO A Derwe	tents Full-Te e-Grant Publ bstracts Data bstracts Dat nt World Pat echnical Disc	ication Fu abase abase ents Inde	ull-Text Dat	abase	▲			
Term:									
Display: Generate:		Oocuments List () Hit					•	Number	1
	Searc	h Clea	r	Help	Logo	out	Interrupt		
Mair	n Menu	Show S Nu	mbers	Edit S Num	bers	Preference	es	Cases	

Search History

DATE: Tuesday, March 05, 2002 Printable Copy Create Case

Set Nam side by sid		Hit Count	Set Name result set
DB=U	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L52</u>	L50 and (candidate adj folder or selected adj folder)	. 109	<u>L52</u>
<u>L51</u>	L50 and (candidate same folder or selected same folder)	416	<u>L51</u>
<u>L50</u>	hierarch\$ and (folder or container or retainer)	3286	<u>L50</u>
<u>L49</u>	L48 and (folder or container or retainer)	0	<u>L49</u>
<u>L48</u>	5675788.pn.	2	<u>L48</u>
<u>L47</u>	11 and 137	0	<u>L47</u>
<u>L46</u>	11 and 136	18	<u>L46</u>
<u>L45</u>	11 and 135	821	<u>L45</u>
<u>L44</u>	11 and 134	22	<u>L44</u>
<u>L43</u>	11 and 133	93	<u>L43</u>
<u>L42</u>	11 and 132	5	<u>L42</u>

•		•	T 41	
<u>L41</u>	11 and 131	2	<u>L41</u>	
<u>L40</u>	11 and 130	84	<u>L40</u>	
<u>L39</u>	11 and 129	94	<u>L39</u>	
<u>L38</u>	11 and 128	64	<u>L38</u>	
<u>L37</u>	(((370/389)!.CCLS.))	726	<u>L37</u>	
<u>L36</u>	(((370/\$)!.CCLS.))	50863	<u>L36</u>	
<u>L35</u>	(((707/\$)!.CCLS.))	13019	<u>L35</u>	
<u>L34</u>	(((707/532)!.CCLS.))	163	<u>L34</u>	
<u>L33</u>	(((707/530)!.CCLS.))	461	<u>L33</u>	
<u>L32</u>	(((707/506)!.CCLS.))	74	<u>L32</u>	
<u>L31</u>	(((707/8)!.CCLS.))	501	<u>L31</u>	
<u>L30</u>	(((707/5)!.CCLS.))	773	<u>L30</u>	
<u>L29</u>	(((707/3)!.CCLS.))	1611	<u>L29</u>	
<u>L28</u>	((707/1)!.CCLS.)	1301	<u>L28</u>	
<u>L27</u>	L26 and (candidate same folder or selected same folder)	15	<u>L27</u>	
<u>L26</u>	11 and hierarch\$	577	<u>L26</u>	
DB=U	SPT; $PLUR = YES$; $OP = OR$			
<u>L25</u>	5813009.pn.	1	<u>L25</u>	
<u>L24</u>	5832499.pn.	1	<u>L24</u>	
<u>L23</u>	6092080.pn.	1	<u>L23</u>	
	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR			
<u>L22</u>	L21 and (candidate same folder or selected same folder)	4	<u>L22</u>	
<u>L21</u>	L20 and stor\$	47	<u>L21</u>	
<u>L20</u>	L19 and judg\$	53	<u>L20</u>	
<u>L19</u>	11 and (folder or retainer or container)	446	<u>L19</u>	
<u>L18</u>	L17 and judge\$	15	<u>L18</u>	
<u>L17</u>	L16 and (document adj retainer or document folder or document container)	33	<u>L17</u>	
<u>L16</u>	11 and advance same notif\$	33	<u>L16</u>	
DB=U	SPT; PLUR=YES; OP=OR			
<u>L15</u>	6026416.pn.	1	<u>L15</u>	
DB=U	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		,	
<u>L14</u>	smart same folders	35	<u>L14</u>	
<u>L13</u>	"ferguson, david".in.	61	<u>L13</u>	
<u>L12</u>	L1 and (candidate same folder or selected same folder)	42	<u>L12</u>	
<u>L11</u>	L10 and candidate	41	<u>L11</u>	
<u>L10</u>	11 and (folder or retainer or container)	446	<u>L10</u>	
DB=USPT; PLUR=YES; OP=OR				

<u>L9</u>	5761662.pn.	1	<u>L9</u>
<u>L8</u>	5784608.pn.	1	<u>L8</u>
DB=U	SPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR = YES; OP = OR		
<u>L7</u>	"ito, shiro".in.	196	<u>L7</u>
<u>L6</u>	ito, shiro.in.	219156	<u>L6</u>
<u>L5</u>	L1 and candidate same folder	2	<u>L5</u>
DB=U	SPT; PLUR=YES; OP=OR		
<u>L4</u>	5761662.pn.	1	<u>L4</u>
DB=U	SPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR = YES; OP = OR		
<u>L3</u>	L2 and candidate same folder	1	<u>L3</u>
<u>L2</u>	L1 and (document adj retainer or document near folder or container)	284	<u>L2</u>
<u>L1</u>	document adj process\$	7115	<u>L1</u>

END OF SEARCH HISTORY

A SECTION OF THE PROPERTY OF T

End of Result Set

Generate Collection Print

L5: Entry 2 of 2

File: JPAB

Dec 2, 1997

PUB-NO: JP409311805A

DOCUMENT-IDENTIFIER: JP 09311805 A

TITLE: DOCUMENT PROCESSING METHOD AND DEVICE THEREFOR

PUBN-DATE: December 2, 1997

INVENTOR-INFORMATION:

NAME

COUNTRY

ITO, SHIRO SHIBATA, SHOGO

UEDA, TAKANARI IKEDA, YUJI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

CANON INC

APPL-NO: JP08129899 APPL-DATE: May 24, 1996

INT-CL (IPC): G06 F $\frac{12}{00}$; G06 F $\frac{12}{00}$; G06 F $\frac{17}{21}$

ABSTRACT:

PROBLEM TO BE SOLVED: To manage documents from the viewpoint of users and also to easily collect and use the documents by analyzing a new document to judge a storage destination folder and informing user of this folder.

SOLUTION: A storage candidate retrieval part 103 retrieves a folder that is suitable as the storage destination of the document held at a new document holding part 102. The candidates of storage destinations retrieved by the part 103 are held at a storage candidate holding part 104. Then a folder retrieval part 108 retrieves a folder that is held at a document holding part 101 based on the retrieval condition which is held at a retrieval condition holding part 107. The folder labels are displayed in order of holders held at the part 104, so that a user can easily select the storage destinations by looking at the periphery of the display head of the folder labels. The user also can select the folders to search for the documents and can effectively perform the data retrieval processing.

COPYRIGHT: (C) 1997, JPO